

8 April 2025

Drilling to Commence on Bridge Creek Mining Lease with Exceptional Gold Intercepts from Historical Drilling

Highlights

- As disclosed in the Company's Prospectus dated 24 July 2023, historical drilling at the Company's Bridge Creek Project in the Northern Territory has intersected some long intersections (Intersections greater than 10m & >0.50g/t Au).

14m @ 2.46g/t Au from 119.8m in BCD2
10m @ 2.80g/t Au from 45m in BCD7
16m @ 1.90g/t Au from 140m in BCD8
23m @ 3.33g/t Au from 29m in BCP138
30m @ 2.44g/t Au from 64m in BCP144
36m @ 1.94g/t Au from 54m in BCP164
10m @ 2.79g/t Au from 46m in BCP165
34m @ 2.01g/t Au from 63m in BCP188
18m @ 1.39g/t Au from 83m in BCP189
13m @ 1.89g/t Au from 57m in BCP191
25m @ 1.87g/t Au from 17m in BCP194
13m @ 1.72g/t Au from 15m in BCP197
14m @ 1.32g/t Au from 80m in BCP203
13m @ 1.49g/t Au from 96m in BCP205
12m @ 3.51g/t Au from 38m in BCP206
18m @ 3.34g/t Au from 99m in BCP212
10m @ 1.65g/t Au from 70m in BCP248
13m @ 1.63g/t Au from 15m in BCP249
15m @ 2.26g/t Au from 85m in BCP250
11m @ 1.63g/t Au from 45m in BCP259

Far Northern Resources Limited (ASX:FNR) (FNR or the **Company**) is pleased to report that a drill rig is on site at Bridge Creek. The drill program is designed to extend the known resource to the north and the south of the current Resource (Inferred Resource of 1.97Mt at 1.12g/t Au for 70,560 ounces of gold) as well as to test the historical drilling at Bridge Creek. The historic intercepts at Bridge Creek could demonstrate potential open pit development options.

Far Northern Resources CEO, Cameron Woodrow said: *"The historic drill results at Bridge Creek represent a significant opportunity for FNR to build on the work completed in 1996 by Northern Gold NL. At the completion of the last program the gold price was significantly lower, circa \$366 AUD per ounce. To have a project that hasn't been drilled in almost 30 years with high-grade gold, near surface results (30m @ 2.44g/t from 64m BCP144) on a granted mining lease with today's gold price fetching over \$4,500 AUD per ounce represents a significant opportunity for FNR".*




FIGURE 1: HISTORICAL DRILLING & PROPOSED DRILLING




FIGURE 2: CROSS SECTION – 8,513,520 MN

Enquires:

Cameron Woodrow

cwoodrow@farnorthernresources.com

Roderick Corps.

rcorps@farnorthernresources.com

For further information regarding Far Northern Resources Limited please visit our website at www.farnorthernresources.com or contact:

Authorisation

This announcement has been authorised for release by the Board of Directors

FAR NORTHERN RESOURCES MINERAL RESOURCES AS AT 30 JUNE 2024

Project	Cut-off (g/t)	Indicated			Inferred			Total		
		Tonnes (Mt)	Grade (g/t)	Ounces (koz)	Tonnes (Mt)	Grade (g/t)	Ounces (koz)	Tonnes (Mt)	Grade (g/t)	Ounces (koz)
Empire Stockworks – QLD	0.2	0.54	0.97	16.89	0.28	0.63	5.62	0.82	0.85	22.50
Bridge Creek - NT	0.5				1.97	1.12	70.56	1.97	1.12	70.56
Total		0.54	0.97	16.89	2.25	1.06	76.18	2.79	1.04	93.06

JORC and Previous Disclosure

The information in this release that related to Mineral Resource for Empire Stockworks and Bridge Creek, is based on information previously disclosed in the following company ASX announcement available from the ASX website www.asx.com.au

- Far Northern Resources Limited (FNR) ASX Announcement 10 April 2024 - Prospectus.

The Company confirms that is not aware of any new information as at the date of the announcement that materially affects the information include in the Release and that all material assumptions and technical parameters underpinning the estimates and results continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person’s findings are presented have not been materially modified from the original market announcement.

These ASX announcements are available on the Company’s website (www.farnorthernresources.com) and the ASX website (www.asx.com.au) under the Company’s ticker code ‘FNR’.

Competent Person's Statement

The information in this announcement that relates to the Bridge Creek Gold Project, is based on information compiled by Mr Christopher Speedy who is a Member of the Australian Institute of Geoscientists. Mr Christopher Speedy is employed by Angora Resources on a full-time basis. Mr Speedy has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Speedy consents to the inclusion in this announcement of the matters based on information in the form and context in which it appears.

Forward Looking Statement

Forward Looking Statements regarding FNR's plans with respect to its mineral properties and programs are forward-looking statements. There can be no assurance that FNR's plans for development of its mineral properties will proceed as currently expected. There can also be no assurance that FNR will be able to confirm the presence of additional mineral resources, that any mineralisation will prove to be economic or that a mine will successfully be developed on any of FNR's mineral properties. The performance of FNR may be influenced by a number of factors which are outside the control of the Company and its Directors, staff, and contractors. These statements include, but are not limited to statements regarding future production, resources or reserves and exploration results.

All of such statements are subject to certain risks and uncertainties, many of which are difficult to predict and generally beyond the control of the company, that could cause actual results to differ materially from those expressed in, or implied or projected by, the forward-looking information and statements. These risks and uncertainties include, but are not limited to: (i) those relating to the interpretation of drill results, the geology, grade and continuity of mineral deposits and conclusions of economic evaluations, (ii) risks relating to possible variations in reserves, grade, planned mining dilution and ore loss, or recovery rates and changes in project parameters as plans continue to be refined, (iii) the potential for delays in exploration or development activities or the completion of feasibility studies, (iv) risks related to commodity price and foreign exchange rate fluctuations, (v) risks related to failure to obtain adequate financing on a timely basis and on acceptable terms or delays in obtaining governmental approvals or in the completion of development or construction activities, and

(vi) other risks and uncertainties related to the company's prospects, properties, and business strategy. Our audience is cautioned not to place undue reliance on these forward-looking statements that speak only as of the date hereof, and we do not undertake any obligation to revise and disseminate forward-looking statements to reflect events or circumstances after the date hereof, or to reflect the occurrence of or non-occurrence of any events.

JORC Code 2012 EDITION, TABLE 1
Section 1 Sampling Techniques and Data
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (e.g., cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g., 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g., submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Diamond drill program, sampling consisted of half splitting the core using a diamond saw. One section of the core was submitted to the laboratory. Quartz vein systems, sulphide zones and quartz-carbonate alteration zones in dolerite close to tuff contacts were samples at 1 metre intervals. The remainder of the core was sampled at 1 metre intervals, crushed, split, and bulked to 5 metres before being submitted for assay. Approximately 2.0-3 kg subsamples were collected over 1m sample intervals for the Percussion & RC sampling. RAB - the samples were collected on a one metre basis "directly from the cutting box", bagged, split several times through a riffle splitter down to 3-4 kg. RAB & Percussion cross over sampling were excluded from Estimation and excluded from Appendix 1. For Fire Assay - all samples were dried, crushed, and pulverised to get at least 85% passing 75µm
Drilling techniques	<ul style="list-style-type: none"> Drill type (e.g., core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g., core diameter, triple or standard tube, depth of diamond tails, face-sampling bit, or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> Diamond holes were drilled HQ – NQ size. Percussion - Early holes (BCP010 to 134) using a cross-over sub behind a conventional percussion hammer. RC drilling was performed with a face sampling hammer (bit diameter between 4.5 – 5.25 inches) and samples were collected using a splitter for 1m composites. Percussion and RAB holes have been excluded from the Estimation.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Recoveries are not recorded in the entire database. Only 3 diamond hole recoveries are known. Recoveries from historical sampling techniques are unknown.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Visual geological logging was completed for all RC drilling on 1 metre intervals. Logging was performed at the time of drilling. Geological logging information is present in the database for all holes except NGNL's "PSP" series holes (4 holes in total). These contain a lithological description, quartz and sulphide abundance and logging of oxidation levels Standard nomenclature (Northern Golds) has been adopted. A significant quantity of original (lithology) supporting data is available in hard copy form (the access database only contains brief data). It is recommended that this information be collated, reviewed and digitally data based.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all cores taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality, and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> Diamond drill program, sampling consisted of half splitting the core using a diamond saw. One section of the core was submitted to the laboratory. Quartz vein systems, sulphide zones and quartz-carbonate alteration zones in dolerite close to tuff contacts were samples at 1 metre intervals. The remainder of the core was sampled at 1 metre intervals, crushed, split, and bulked to 5 metres before being submitted for assay. Approximately 2.0-3 kg subsamples were collected over 1m sample intervals for the Percussion & RC sampling. RAB - the samples were collected on a one metre basis "directly from the cutting box", bagged, split several times through a riffle splitter down to 3-4 kg Wet sampling in latter programmes (up to hole BCP246) was made by pipe splitting; it is unknown how wet sampling in drilling beyond BCP246 was conducted. It is not known how many samples were wet.

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> Samples are dried, crushed to 10mm, and then pulverised to 85% passing 75µm (80% passing 75µm for the historical drilling). Duplicate field samples have not been taken.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g., standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e., lack of bias) and precision have been established. 	<ul style="list-style-type: none"> All gold assaying was completed by commercial laboratories, over the history of the project – Australian Assay Laboratories (Pine Creek) – 1985, Analabs (Darwin) – 1991, AssayCorp (Pine Creek) 1993 – 1996. Assaying method used for the majority of samples was a 30-50g charge for Fire Assay. Fire Assay is industry standard for gold and considered appropriate. No field blanks, field duplicates were submitted into the assaying stream. A total of 3,714 Lab duplicates were completed and show excellent correlation with an R² of 0.95 No laboratory audits were undertaken
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> Independent personnel have visually inspected the significant intersections in core or RC chips. Numerous highly qualified and experienced company personnel from exploration positions have visually inspected the significant intersections in core and RC chips, over the history of the project. Historical data was provided by FNR in MS Access as well as historical Company Records. Data validation checks were made to ensure accurate data No adjustments have been made to the assay data
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> Survey of all collars conducted with accurate survey equipment. Excluding the earlier cross-over drilling (excluded from the resource estimate) downhole survey exists for 63 % of the drillholes. Surveying for the 1991 exploration program was carried out by Qasco Northern Surveys. Surveying for the 1995 & 1996 exploration program was carried out by Qasco Northern Surveys and Micro Survey A local grid was in use at Bridge Creek, details below. All holes have been converted into AMG and then into Map Grid Australia Zone 52, and then again into GDA 2020. Downhole survey, azimuth has been recorded as grid north (~-4-degree change to magnetic). A digital terrain model (DTM) was built from data sourced from the ELVIS geoscience Australia platform. Data points were sourced from the 1-second shuttle radar capture; points are approximately 30 metres apart. Metana mined shallow alluvial shows between the mid 1990's and 1996/97. Difference checks between the collar and topography averages 3.7m (absolute). The drillholes used in the model, were drilled both pre- and post- alluvial mining, some uncertainty exists with the topographical surface, thus elevation may not be very accurate. It is strongly recommended that a ground survey be obtained to build a more accurate surface, to validate drillhole collars and the current topography surface.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> Nominal hole spacing of the deposit is approximately 25 metres along strike and 20m across strike. The data spacing and distribution is sufficient to demonstrate spatial and grade continuity of the mineralised domains to support the definition of Inferred, Indicated and Mineral Resources under the 2012 JORC code.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> The drilling is predominantly orientated west (270°) with a 60-degree dip, which is roughly perpendicular to both the strike and dip of the mineralisation, therefore ensuring intercepts are close to true-width. No orientation biased sampling has been identified in the data.

Criteria	JORC Code explanation	Commentary
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Sample Security for historical data is unknown.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> No review or audits have been conducted

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> The Bridge Creek gold deposit is located within granted Mining Lease MLN 766; 1060, & 30807 wholly owned by Bridge Creek Mining Pty Ltd. The tenements are located approximately 125km SSE of Darwin and 35km SE of Adelaide River. The Bridge Creek Deposit is located approximately 29km from Fountain Head via the sealed Stuart Highway and Fountain Head Road. There are two alternate routes between Bridge Creek and Fountain, one a combination of sealed and unsealed roads, the other via unsealed roads. Kirkland Lake Gold retains a 1% NSR on any mineral production from the leases The tenements are in good standing with no known encumbrances that might impede future activities.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Small deposits of alluvial gold were first worked near the Metropolitan Howley mine in 1883, following the discovery of primary gold there in 1873. Further primary deposits were located at Metropolitan and Chinese Howley. Alluvial mining quickly spread to Chinese Howley, Bridge Creek and Mount Paqualin. Alluvial mining by Chinese indentured labour continued until about 1896, when the lease arrangements with the Mandarins expired and were not renewed. The alluvial deposits were then only intermittently mined, on a small scale until Metana Minerals N. L.'s Bridge Creek operation in 1986 and later by Mr R.J. Edwards in 1996-1997 In 1985-1986 General Gold entered into a farm in agreement with Northern Gold NL and conducted a diamond drilling and percussion drilling program (Stokes et al, 1994). GGRNL drilled five diamond holes in 1985 to test a Rapid Reconnaissance Magnetic Induced Polarisation ("RRMIP") anomaly In 1986 Metana Minerals NL entered into an agreement with Northern Gold NL to explore and treat alluvial gold on the Howley leases. Metana carried out mapping, reconnaissance, costeaning, sampling of the alluvial areas on the lease In 1987 Northern Gold NL commenced hard-rock exploration on the Bridge Creek prospect with the majority of the work being conducted in 1988. A comprehensive soil sampling was carried out over the lease, RC drilling and mapping was conducted. In 1991 reverse circulation and diamond drilling were undertaken in order to determine the extent and style of bedrock mineralisation as indicted by previous drilling. Early holes (BCP010 to 134) were drilled by Civil Mining Services using an Ingersol Rand T4 rig, using a cross-over sub behind a conventional percussion hammer. During 1996 reverse circulation drilling was conducted over MLNs 766 and 1060 to test the bedrock gold resources in the central and northern sector of the prospect. This comprised 50 holes for a total of 3,641m. Five diamond core holes were also drilled. The work completed by the other parties is considered by the competent person to be of a high standard with regards to logging and sampling. Sampling and assaying with a Cross over bit are considered less than adequate due to sample contamination and these drillholes have not been used in the Mineral Resource Estimate to date.

Criteria	JORC Code explanation	Commentary
Geology	<ul style="list-style-type: none"> • <i>Deposit type, geological setting, and style of mineralisation.</i> 	<ul style="list-style-type: none"> • MLN 766, MLN 1060 and MLN30807 are situated within the Pine Creek Geosyncline, a tightly folded sequence of Lower Proterozoic rocks, 10km to 14km in thickness, laid down on a rifted granitic Archaean basement during the interval ~2.2-1.87Ga. The sequence is dominated by pelitic and psammitic (continental shelf shallow marine) sediments with minor inter-layered tuff units. Pre-orogenic mafic sills of the Zamu Dolerite event (~1.87Ga) intruded the lower formations of the South Alligator Group. • MLN 766 and MLN 1060 cover a sector of the axis of the Howley Anticline, approximately 12km along strike north from the Cosmopolitan Howley Gold Mine, Exploratory drilling at Bridge Creek intersected lower to middle units of the South Alligator Group. These are represented by foliated, sulphidic and carbonaceous black mudstones and wackes of the Koolpin Formation, which is overlain by foliated epiclastic and volcanoclastic tuffaceous rocks of the Gerowie Tuff Formation. These lithologies lie between sub-vertical limbs of semi concordant Zamu Dolerite that brackets the axis of the Howley Anticline. • The contact zone between the Zamu Dolerite and the Gerowie Tuff is strongly deformed with some apparent tectonic interleaving of lithologies. Sulphide rich, quartz porphyries, probably of Cullen vintage, cut the sequence. Generally, these are massive to weakly deformed and appear to occur as near-vertical, dyke like bodies that locally are bedding parallel • At Bridge Creek primary gold occurs as three different styles, which post-date the F1-F3 regional folding events • (1) In quartz-sulphide (pyrite-arsenopyrite) stockwork zones and associated alteration haloes within the pyritic and carbonaceous black shales of the Upper Koolpin Formation (the dominant style). (2) In quartz-sulphide impregnated shear zones at the contact between the Gerowie Tuff and the Zamu Dolerite. (3) In quartz-sulphide veins within the Zamu Dolerite. The veins appear to be arranged as a fracture cleavage set around the hinge zone of the Howley Anticline. Veins on the east side of the anticline appear to dip west, those on the west side appear to dip east.
Drill hole information	<ul style="list-style-type: none"> • <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> ○ <i>easting and northing of the drill hole collar</i> ○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> ○ <i>dip and azimuth of the hole</i> ○ <i>down hole length and interception depth</i> ○ <i>hole length.</i> • <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> 	<ul style="list-style-type: none"> • The locations and mineralised intersections (0.5g/t Au and above) for all holes completed are summarised Appendix 1
Data aggregation methods	<ul style="list-style-type: none"> • <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g., cutting of high grades) and cut-off grades are usually Material and should be stated.</i> • <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> • <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> 	<ul style="list-style-type: none"> • Exploration results are reported as length weighted averages of the individual sample intervals. • No high-grade cuts have been applied to the reporting of exploration results • Intersections have been reported using a 0.5g/t lower cut-off – see Appendix 1 • Metal equivalent values have not been used.
Relationship between	<ul style="list-style-type: none"> • <i>These relationships are particularly important in the reporting of Exploration Results.</i> 	<ul style="list-style-type: none"> • The majority of the Bridge Creek drill holes were drilled at -60° to the west and the mineralised zone dips at 80-90° to the west so the

Criteria	JORC Code explanation	Commentary
<i>mineralisation widths and intercept lengths</i>	<ul style="list-style-type: none"> If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g., 'down hole length, true width not known'). 	intercepts reported are slightly greater than the true mineralised width.
<i>Diagrams</i>	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Refer to figures in the body of the document.
<i>Balanced reporting</i>	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced avoiding misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> All exploration results have been reported in Appendix 1
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> All interpretations for Bridge Creek mineralisation are consistent with observations made and information gained during previous exploration and modelling.
<i>Further work</i>	<ul style="list-style-type: none"> The nature and scale of planned further work (e.g., tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Further drill programs targeting the redrilling of the cross over holes, increasing QAQC support and targeting the oxide lodes. Further drill programs targeting along strike and down dip extensions Further diamond drilling for geotechnical, metallurgical and density testing

Appendix 1 – Significant Intersections (>0.5 g/t Au)

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
BCD1	751133.4	8513845.43	90	90	-60	11.5	15.45	0.72
						19.5	22.5	0.73
						24	25	1.91
						25	26	1.38
						26	26.75	1.17
						43.25	44.25	1.6
						44.25	45.25	3.3
						45.25	46.25	0.93
						46.25	47.25	1.77
						48.25	49.25	0.61
						49.25	50.25	1.12
						50.25	51.25	0.61
						52.25	53.25	0.74
BCD2	751112.4	8513431.36	80.01	90	-65	58.1	60	1.46
						91.08	92.08	0.68
						92.08	93.08	0.62
						118.8	119.8	0.66
						119.8	120.8	1.12
						120.8	121.8	1.69
						121.8	122.8	1.33
						122.8	123.8	1.38
						123.8	124.8	2.4
						124.8	125.8	1.12
						125.8	126.8	3.8
						126.8	127.8	2.9
						127.8	128.8	3.3
128.8	129.8	2.51						
129.8	130.8	1.84						
130.8	131.8	8.66						
131.8	132.8	1.56						
132.8	133.8	0.76						
134.8	135.8	0.84						
135.8	136.8	0.5						
137.8	138.8	1.18						
138.8	139.8	2.22						
139.8	140.8	1.04						
140.8	141.8	1.1						
BCD3	751077.9	8512987.4	86.58	90	-65	214	219	0.58
						224	225	0.78
BCD4	751097.4	8512992	88.08	270	-60	NSI		
BCD5	751124.4	8513845.52	89	90	-85	62.8	63.7	24.6
						78	82	0.8
						82	83	1.31
						127	128	1.81
BCD6	751114	8513707.76	85.9	90	-60	18	19	1.24
						22	23	0.51
						24	25	0.98
						26	27	0.52
						31	32	1.36
						36	37	0.9
						42.8	43	6.09
						44	45	0.58
						46	47	0.91
						47	48	2.61
						49	50	0.85
						50	51	0.52
						52	53	0.59
53	54	1.51						
54	55	0.69						
59	60	1.46						
60	60.57	3.09						



ASX ANNOUNCEMENT

ASX: FNR

farnorthernresources.com

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						60.57	60.87	0.57
						60.87	61	1.44
						61.35	61.55	0.84
						64.5	64.8	1.19
						67	67.3	0.53
						67.3	68	1.56
						69	69.5	1.13
						72	72.75	1.37
						72.75	73	0.68
						73	73.4	1.74
						73.4	73.75	0.67
						75	76	1.19
						80.35	81	1.51
						81	82	0.52
						82	82.2	0.62
BCD7	751210.8	8513555.09	80.8	270	-60	82.2	83	0.71
						33	34	0.5
						35	36	0.78
						36	37	0.78
						37	38	0.82
						39	39.6	0.8
						39.6	40	1.6
						42	42.3	2.24
						42.3	43	1.2
						44	45	0.54
						45	46	3.4
						46	47	4.62
						47	48	1.2
						48	49	4.76
						49	50	1.1
50	51	1.52						
51	51.75	4.18						
51.75	52	2.66						
52	52.25	2.48						
52.25	52.6	0.8						
53	53.6	0.58						
53.6	53.9	2.24						
53.9	54	0.9						
54	54.65	2.62						
54.65	55	7.2						
55	55.2	1.42						
55.2	56	1.82						
57	58	1.28						
59	59.55	0.72						
59.55	59.9	1.46						
60	60.45	1.28						
60.45	60.75	1.2						
60.75	61	0.56						
61	62	0.56						
62	62.3	1.14						
63	64	1.14						
64	65	0.8						
65	66	1.52						
66	66.56	1.64						
66.56	67	0.6						
67	68	0.92						
69	70	0.86						
70	71	0.6						
74	75	0.5						
75	76	0.52						
77	78	0.92						
BCD8	751237.9	8513495.77	85.81	270	-60	3	4	0.73
						5	6	0.61
						16	17	0.65
						108	109	0.56
						109	110	0.62



ASX ANNOUNCEMENT

ASX: FNR

farnorthernresources.com

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						110	111	0.63
						111	112	1.29
						112	113	1.87
						113	114	1.49
						114	115	1.86
						117	118	2.15
						118	119	4.45
						119	120	0.83
						121	122	8.35
						122	123	3.99
						126	127	0.93
						128	129	5.16
						132	133	3.83
						133	134	11.9
						134	135	0.66
						135	136	2.02
						139	140	1.34
						140	141	0.54
						141	142	4.09
						142	143	1.38
						143	144	1.08
						144	145	0.72
						145	146	1.17
						146	147	1.53
						147	148	0.62
						148	149	1.45
						149	150	0.83
						150	151	1.05
						151	152	2.22
						152	153	1.17
						153	154	11
						154	155	0.64
						155	155.8	0.69
BCD9	751232.8	8513442.98	85.72	270	-70	30	31	0.52
BCD9A	751233.8	8513443.1	86	270	-70	19	20	0.53
						24	25	0.58
						178	179	0.91
						181	182	0.65
						182	183	0.85
						183	184	1.07
						184	185	7.3
						185	186	0.67
						186	187	2.18
						187	188	10.7
						188	189	3.01
BCP135	751134	8513717.38	86.7	90	-60	3	4	3.42
						4	5	0.641
						9	10	3.264
						10	11	0.689
						13	14	1.111
						14	15	0.881
						38	39	0.791
						44	45	0.616
						54	55	0.604
						55	56	5.28
						66	67	0.508
BCP136	751113.4	8513717.47	85.9	90	-60	13	14	0.657
						14	15	3.7
						30	31	2.66
						31	32	1.95
						32	33	2.68
						34	35	2.27
						35	36	3.16
						38	39	0.756
						39	40	1.691
						46	47	1.653

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						47	48	0.751
						51	52	0.514
						52	53	3
						55	56	0.65
						56	57	5.24
						57	58	1.48
						58	59	1.13
						59	60	1.115
						61	62	2.81
						62	63	3.1
						63	64	0.712
						64	65	7.07
						65	66	3.17
						66	67	1.126
						67	68	0.929
68	69	2.08						
69	70	0.974						
70	71	0.579						
77	78	1.106						
BCP137	751093.6	8513717.46	84.9	90	-60	2	3	0.981
						36	37	2.444
						37	38	0.719
						38	39	0.753
						76	77	0.895
BCP138	751187.3	8513443.65	84.18	0	-90	24	25	0.58
						28	29	1.87
						29	30	1.44
						30	31	1.43
						31	32	1.02
						32	33	1.58
						33	34	1.76
						34	35	2.99
						35	36	0.9
						36	37	0.76
						37	38	1.02
						38	39	5.56
						39	40	10.4
						40	41	5.85
						41	42	14.4
						42	43	5.29
						43	44	8.34
						44	45	3.53
						45	46	1.19
						46	47	2.02
						47	48	1.39
						48	49	1.88
						49	50	1.85
						50	51	0.64
51	52	1.28						
53	54	0.97						
54	55	1.92						
55	56	1.34						
56	57	1.07						
61	62	0.63						
BCP139	751123.2	8513676.35	85	90	-60	13	14	0.523
						26	27	0.869
						27	28	1.239
						45	46	0.534
						50	51	3.37
						51	52	0.549
						54	55	1.322
						58	59	4.46
						59	60	0.707
						62	63	5.68
						63	64	1.797
64	65	1.99						

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						66	67	1.308
						67	68	0.789
						68	69	0.824
						70	71	0.919
						71	72	0.698
						72	73	0.734
						74	75	1.148
						77	78	1.594
						79	80	0.932
						82	83	3.526
						83	84	3.48
						84	85	1.606
						88	89	1.008
						95	96	0.73
BCP140	751173.3	8513696.99	85.7	270	-60	36	37	1.49
						45	46	0.91
						50	51	0.53
						51	52	1.14
						55	56	0.86
						56	57	0.61
						57	58	0.63
						58	59	3.23
						59	60	0.57
						60	61	1.24
						63	64	0.94
						64	65	1.25
						65	66	1.77
						67	68	1.29
						70	71	0.51
BCP141	751146.3	8513743.37	87.56	270	-60	17	18	21.7
						18	19	2.6
						19	20	3.7
						22	23	0.53
						27	28	1.96
						28	29	0.6
						29	30	1.3
						34	35	0.67
						38	39	1.67
						72	73	4.12
						73	74	0.603
BCP142	751122.8	8513656.15	84.2	90	-60	76	77	1.023
						77	78	0.564
						81	82	0.668
						85	86	1.096
						86	87	1.083
						87	88	0.671
						96	97	1.472
						98	99	1.344
						72	73	4.12
						73	74	0.603
						76	77	1.023
BCP143	751165.7	8513743.09	87.91	270	-60	0	1	0.88
						24	25	0.63
						38	39	0.57
						39	40	0.86
						41	42	0.51
						42	43	0.8
						43	44	0.72
						44	45	0.61
						45	46	1.46
						46	47	0.9
						51	52	0.68
						56	57	0.54
						61	62	0.53
						62	63	0.54
						62	63	0.54
BCP144	751227.1	8513546.43	83.62	270	-60	15	16	1.75
						16	17	10.1
						17	18	1.87
						17	18	1.87
						18	19	0.93

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						19	20	0.71
						20	21	0.7
						21	22	2.08
						63	64	1.1
						64	65	1.53
						65	66	3.8
						66	67	2.54
						67	68	0.64
						68	69	4.14
						69	70	24.3
						70	71	4.32
						71	72	4.43
						72	73	1.74
						73	74	2.12
						74	75	1.41
						75	76	1.47
						76	77	1.01
						77	78	1.36
						78	79	2.29
						79	80	0.51
						80	81	3.3
						81	82	0.84
						82	83	1.04
						83	84	1
						84	85	0.92
						85	86	1.13
						86	87	1
						87	88	2.89
						88	89	0.59
						89	90	0.51
						90	91	0.65
						91	92	0.52
						92	93	0.57
						93	94	0.61
BCP145	751122.8	8513636.04	83.7	90	-60	36	37	5.181
						93	94	4.548
						94	95	0.584
						95	96	0.658
						101	102	4.172
BCP146	751104.6	8513636.81	82.5	90	-60	1	2	0.51
						5	6	2.88
BCP147	751144.5	8513618.33	81.5	90	-60	0	1	0.552
						31	32	0.736
						37	38	0.859
						38	39	1.351
						40	41	1.495
BCP148	751122.7	8513617.84	82.2	90	-60	7	8	0.557
						38	39	0.585
						40	41	0.537
						41	42	1.516
						89	90	1.29
						96	97	0.526
						100	101	0.678
BCP149	751201.8	8513443.61	84.65	90	-60	6	7	0.72
						7	8	0.64
						8	9	0.67
BCP150	751144.3	8513596.22	80.2	90	-60	25	26	1.229
						26	27	2.895
						31	32	0.576
						34	35	0.73
						35	36	0.558
						42	43	0.596
						69	70	0.578
						72	73	0.51
						74	75	0.56
BCP151	751130.4	8513596.25	79.8	90	-60	68	69	0.598

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						71	72	0.928
						72	73	1.782
						76	77	1.809
BCP151A	751126.8	8513596.2	79.9	90	-60	NSI		
BCP152	751193.5	8513493.21	84.22	90	-60	7	8	0.56
						11	12	1.05
BCP153	751174.3	8513493.32	83.47	90	-60	11	12	0.61
						12	13	0.5
						15	16	0.95
						16	17	3.39
						17	18	0.81
						18	19	0.73
						19	20	1.38
						20	21	2.38
						21	22	0.97
						22	23	0.56
						24	25	0.67
						25	26	2.28
						26	27	0.91
						31	32	0.59
						37	38	0.55
						39	40	0.85
						40	41	1.43
						41	42	0.67
						42	43	0.54
						43	44	0.67
BCP154	751167.4	8513574.69	79.8	270	-60	9	10	5.952
						12	13	1.983
						13	14	0.748
						39	40	2.05
						45	46	1.228
						46	47	1.294
						47	48	1.778
						73	74	1.087
BCP155	751152.8	8513696.99	85.45	270	-60	18	19	0.68
						20	21	3.72
						22	23	4.37
						23	24	2.46
						24	25	2.68
						25	26	2.55
						26	27	0.52
						33	34	0.62
						35	36	1.13
						36	37	0.68
						38	39	0.96
						39	40	1.55
						45	46	0.62
BCP156	751223	8513495.54	85.4	270	-60	9	10	0.67
						10	11	7.49
						11	12	1.69
						12	13	2.3
						13	14	0.92
						48	49	2.02
						49	50	0.95
						50	51	0.74
						51	52	1.27
						52	53	1.51
BCP157	751174.9	8513895.37	91.43	270	-60	55	56	3.22
						60	61	0.54
BCP158	751215.9	8513896.38	90.87	270	-60	22	23	1.44
						23	24	1.96
						24	25	3
						25	26	0.59
						27	28	0.63
BCP159	751169.9	8513846	90.94	270	-60	45	46	1.76
						46	47	1.17

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)						
						47	48	1.16						
						60	61	0.61						
						65	66	0.52						
						70	71	0.93						
						71	72	0.91						
BCP160	751166.3	8513794.9	90.35	270	-60	33	34	0.84						
						34	35	2.45						
						35	36	1.32						
						36	37	1.98						
						37	38	0.71						
						38	39	0.84						
						41	42	5.17						
BCP161	751183.9	8513493.15	83.87	90	-60	2	3	6.26						
						3	4	1.5						
						4	5	0.51						
						5	6	1.05						
						6	7	2.15						
						7	8	0.88						
						8	9	2.1						
						9	10	1.42						
						10	11	0.81						
						12	13	0.9						
						14	15	0.85						
						18	19	1.44						
						BCP162	751226.9	8513446.11	85.55	270	-60	18	19	0.62
												34	35	0.7
35	36	0.76												
64	65	0.64												
67	68	0.87												
68	69	1.26												
69	70	1.4												
79	80	0.51												
80	81	0.99												
81	82	0.6												
82	83	2.45												
84	85	2.57												
85	86	1.22												
86	87	0.9												
87	88	1												
88	89	1.4												
89	90	1.07												
90	91	0.64												
91	92	0.61												
93	94	0.54												
94	95	1.62												
95	96	0.88												
96	97	0.84												
BCP163	751196.8	8513446.59	84.48	270	-60	20	21	3.29						
						27	28	1.26						
						34	35	0.67						
						35	36	0.5						
BCP164	751208.6	8513496.08	84.76	270	-70	36	37	1.64						
						37	38	0.84						
						40	41	1.36						
						41	42	3.24						
						42	43	4.26						
						43	44	1.4						
						44	45	0.95						
						46	47	1.09						
						47	48	0.79						
						49	50	0.73						
						50	51	0.55						
						53	54	1.69						
54	55	0.98												
55	56	0.67												
56	57	1.04												



ASX ANNOUNCEMENT

ASX: FNR

farnorthernresources.com

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						57	58	0.91
						58	59	0.84
						59	60	2.33
						60	61	1.16
						61	62	3.92
						62	63	2.75
						63	64	2.2
						64	65	1.38
						65	66	4.07
						66	67	2.92
						67	68	1.64
						68	69	3.31
						69	70	1.97
						70	71	1.21
						71	72	1.52
						72	73	0.58
						73	74	1.22
						74	75	1.31
						75	76	5.23
						76	77	5.27
						77	78	1.66
						78	79	0.86
						79	80	0.54
						80	81	1.34
						81	82	4.29
						82	83	6.27
						83	84	0.53
						84	85	0.56
						85	86	1.41
						86	87	0.91
						87	88	0.53
						88	89	0.75
						89	90	1.92
BCP165	751206.7	8513446.03	84.91	270	-60	11	12	1.43
						12	13	0.9
						16	17	4.02
						17	18	4.87
						18	19	3.6
						19	20	0.87
						20	21	0.57
						22	23	1.05
						23	24	1.6
						35	36	0.53
						36	37	0.6
						37	38	1.87
						38	39	0.62
						41	42	2.12
						42	43	0.79
						43	44	1.68
						45	46	3.46
						46	47	0.57
						47	48	1.71
						48	49	1.2
						49	50	8.88
						50	51	4.5
						51	52	1.53
						52	53	2.36
						53	54	3.3
						54	55	3.2
						55	56	0.6
						58	59	0.6
BCP166	751212.8	8513493.13	84.99	90	-60	4	5	1.34
						5	6	1.44
						6	7	0.59
						7	8	0.93
						9	10	2.85

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						10	11	0.94
						11	12	4.98
BCP167	751221.9	8513395.79	85.36	270	-60	10	11	0.76
						11	12	2
						12	13	5.85
						39	40	0.56
						40	41	0.8
						42	43	0.6
						43	44	0.67
						46	47	2.93
						51	52	0.52
						54	55	0.65
						58	59	1.16
						60	61	0.57
						61	62	0.64
						63	64	0.52
87	88	3.71						
88	89	0.82						
96	97	1.55						
BCP168	751210.9	8513291.1	85.42	90	-60	11	12	0.7
						12	13	4.68
						13	14	2.25
						14	15	1.47
						15	16	0.5
						16	17	0.62
						17	18	1.26
BCP169	751190.7	8513290.98	85.11	90	-60	68	69	0.61
						71	72	0.85
						72	73	0.66
						76	77	0.57
						77	78	0.5
BCP170	751226.6	8513345.31	85.78	270	-60	37	38	1.12
						38	39	0.92
						43	44	0.98
						44	45	0.88
						60	61	0.5
						64	65	0.51
						68	69	2.18
						69	70	6.52
						70	71	2.83
BCP171	751198.4	8513496.17	84.41	270	-60	11	12	0.66
						12	13	0.79
						13	14	0.6
						17	18	2.96
						18	19	0.66
						19	20	0.81
						21	22	2.2
						22	23	0.72
						25	26	1.25
						26	27	1.06
						27	28	0.71
						28	29	0.94
						29	30	0.55
						30	31	1.32
						34	35	0.5
						35	36	0.59
						36	37	0.62
						39	40	0.67
BCP172	751206.6	8513395.9	84.61	270	-60	7	8	1.08
						9	10	0.63
						10	11	0.71
						21	22	1.7
						22	23	5.56
						23	24	1.05
						24	25	1.74
						25	26	3.24

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						26	27	5.06
						29	30	0.5
						30	31	1.95
						31	32	4.75
						33	34	4.88
						34	35	1.08
						35	36	1.23
						36	37	0.9
						37	38	0.55
						38	39	1.35
						66	67	1.07
						67	68	1.42
						68	69	1.19
						70	71	1.42
						71	72	5.47
						72	73	1.01
						76	77	1.01
						77	78	3.17
						78	79	0.7
						79	80	0.87
						94	95	0.75
BCP173	751251.9	8513445.48	86.64	270	-60	36	37	0.54
						48	49	1.43
						52	53	0.58
						56	57	1.41
BCP174	751243.6	8513544.26	84	270	-60	5	6	0.56
						19	20	0.6
						20	21	0.56
						21	22	0.57
						44	45	0.87
						93	94	0.69
						97	98	1.19
						100	101	0.61
						102	103	1.1
						107	108	2.05
						108	109	1.18
						109	110	0.63
						110	111	0.74
						113	114	0.51
						116	117	1
						117	118	0.55
						118	119	1.15
BCP175	751291.9	8513443.8	88.43	270	-60	30	31	0.68
BCP176	751353.1	8513544.67	89.88	270	-60			NSI
BCP177	751374.5	8513544.36	90.97	270	-60			NSI
BCP178	751331.8	8513444.79	89.66	270	-60	35	36	0.67
						36	37	1.93
						37	38	0.54
						49	50	2.24
BCP179	751372.6	8513444.5	91.66	270	-60	58	59	3.26
						59	60	0.88
BCP180	751191.2	8513396.13	84.12	270	-60	17	18	0.67
						26	27	0.97
						39	40	0.75
						40	41	0.95
						41	42	1.43
						42	43	0.76
BCP181	751182	8513393.51	83.92	270	-60	23	24	1.08
						28	29	0.69
						51	52	2.08
						52	53	3.75
						53	54	1.37
BCP182	751228.1	8513595.72	83.76	270	-60	65	66	0.54
						67	68	1.2
						69	70	1.04
						78	79	0.88

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						79	80	0.57
						81	82	0.9
						82	83	1.24
						83	84	1.72
						99	100	0.5
						101	102	0.67
						102	103	1.97
						103	104	3.01
						2	3	1.39
BCP183	751198.5	8513534.68	80	270	-55	3	4	1.4
						4	5	1.4
						5	6	2.26
						6	7	0.85
						7	8	2.42
						8	9	0.61
						9	10	0.7
						14	15	1.3
						15	16	0.68
						19	20	1.24
						20	21	1.07
						21	22	0.9
						22	23	0.87
						23	24	0.51
						26	27	1.27
						27	28	0.8
						29	30	1.52
						30	31	1.25
						31	32	2.62
						32	33	0.6
						34	35	1.13
						37	38	0.71
						38	39	0.6
						64	65	0.56
BCP184	751414.1	8413544	93.01	270	-60		NSI	
BCP185	751230.9	8513645.73	84.59	270	-60	31	32	1.9
BCP186	751177.1	8513396.19	83.82	90	-60	22	23	1.55
						23	24	14.5
						24	25	1.54
						25	26	2.12
						26	27	1.21
						27	28	1.9
						28	29	0.74
						29	30	0.87
						31	32	0.57
						33	34	0.65
						35	36	0.55
						36	37	0.67
						38	39	0.72
						52	53	0.57
						62	63	2.71
BCP187	751183.9	8513520.9	83.4	270	-60	30	31	1.41
						54	55	0.88
BCP188	751228.9	8513520.85	84.81	270	-60	13	14	0.65
						19	20	1.38
						20	21	0.74
						21	22	1.52
						29	30	0.67
						33	34	0.53
						62	63	0.57
						63	64	2.09
						64	65	0.7
						65	66	2.17
						66	67	2
						67	68	1.53
						68	69	4.29
						69	70	1.93

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						70	71	1.44
						71	72	2.43
						72	73	1.19
						73	74	1.87
						74	75	2.11
						75	76	1.92
						76	77	2.81
						77	78	1.23
						78	79	0.96
						79	80	1.41
						80	81	2.66
						81	82	2.86
						82	83	2.06
						83	84	1.92
						84	85	2.34
						85	86	2.99
						86	87	2.29
						87	88	2.19
						88	89	1.42
						89	90	1.04
						90	91	1.28
						91	92	4.1
						92	93	4.39
						93	94	2.18
						94	95	0.69
						95	96	0.92
						96	97	0.8
						98	99	0.51
						99	100	0.62
						104	105	0.73
BCP189	751228	8513470.8	85.75	270	-60	69	70	1.42
						79	80	0.77
						80	81	0.92
						82	83	1.09
						83	84	1.92
						84	85	1.73
						85	86	0.75
						86	87	2.27
						87	88	3.63
						88	89	1.91
						89	90	1.69
						90	91	1.03
						91	92	0.66
						92	93	1.07
						93	94	1.35
						94	95	1.16
						95	96	1.07
						96	97	1.86
						97	98	0.99
						98	99	0.68
						99	100	0.76
						100	101	0.57
BCP190	751224.9	8513420.88	85.37	270	-60	3	4	0.52
						55	56	2.36
						56	57	1.01
						57	58	0.56
						58	59	0.83
						59	60	0.52
						60	61	0.58
						94	95	0.55
BCP191	751213.4	8513520.85	84.26	270	-60	18	19	0.94
						24	25	0.51
						27	28	0.78
						28	29	0.92
						29	30	1.38
						30	31	1.15

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						31	32	1.7
						32	33	7.55
						33	34	0.66
						34	35	1.06
						35	36	1.8
						36	37	0.96
						45	46	0.58
						49	50	0.62
						51	52	0.52
						52	53	0.58
						54	55	1.56
						56	57	0.89
						57	58	1.48
						58	59	1.92
						59	60	1.7
						60	61	2.3
						61	62	2
						62	63	1.15
						63	64	6.72
						64	65	2.5
65	66	1.81						
66	67	0.86						
67	68	0.74						
68	69	0.9						
69	70	0.52						
75	76	0.58						
76	77	0.89						
BCP192	751212.4	8513470.86	85.17	270	-60	5	6	0.92
						6	7	7.03
						7	8	4.28
						8	9	0.63
						9	10	0.68
						10	11	2.01
						11	12	0.6
						13	14	0.53
						14	15	0.51
						19	20	0.56
						39	40	0.98
						46	47	0.6
						47	48	1.08
						48	49	1.2
						49	50	1
						51	52	0.54
						54	55	0.74
						55	56	0.9
						61	62	0.98
						63	64	1.16
						65	66	0.84
66	67	0.94						
67	68	1.18						
73	74	0.73						
BCP193	751212.1	8513420.88	85.05	270	-60	24	25	0.52
						25	26	0.63
						61	62	0.6
						62	63	1.62
						63	64	1.14
						64	65	0.55
BCP194	751198.8	8513520.68	83.91	270	-60	7	8	0.64
						8	9	0.7
						9	10	1.02
						10	11	1.03
						11	12	0.54
						12	13	1.54
						13	14	1
						14	15	1.65
						16	17	0.62

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						17	18	2.19
						18	19	0.79
						19	20	0.86
						20	21	0.94
						21	22	0.57
						22	23	1.28
						23	24	0.75
						24	25	0.83
						25	26	1.4
						26	27	3.9
						27	28	0.94
						28	29	0.58
						29	30	0.67
						30	31	1.06
						31	32	1.74
						32	33	3.28
						33	34	1.26
						34	35	1
						35	36	2.2
						36	37	11
						37	38	5.14
						38	39	1.26
						39	40	1.04
						40	41	1.2
						41	42	0.82
						43	44	0.69
						45	46	0.56
						47	48	0.59
						55	56	0.58
						69	70	1
						70	71	0.65
						71	72	0.5
BCP195	751190.8	8513518.41	83.87	90	-60	5	6	0.55
						7	8	1.2
						8	9	1
						11	12	0.66
						12	13	0.74
						15	16	14.9
						16	17	8.5
						17	18	0.66
						20	21	0.54
						21	22	0.54
						23	24	0.6
						71	72	0.54
BCP196	751182.5	8513471.48	83.93	270	-60	22	23	1.38
						24	25	0.54
						43	44	0.87
						46	47	3.25
						47	48	4.02
						48	49	4.88
						49	50	2.28
						50	51	0.67
						52	53	1.23
						53	54	0.65
BCP197	751197.6	8513471.09	84.64	270	-60	4	5	0.87
						5	6	2.12
						6	7	0.94
						7	8	0.6
						8	9	2.08
						9	10	0.77
						14	15	0.66
						15	16	0.53
						16	17	0.75
						17	18	1.63
						18	19	7.31
						19	20	2.06

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						20	21	1
						21	22	0.51
						22	23	2.17
						23	24	1.2
						24	25	1.24
						25	26	2.49
						26	27	0.62
						27	28	0.9
						29	30	19.2
						30	31	38.5
						31	32	8.1
						32	33	2.14
						33	34	1.06
						35	36	0.74
						36	37	0.52
						37	38	0.54
						38	39	0.74
						39	40	13.4
						40	41	0.7
						41	42	1.39
44	45	0.62						
63	64	0.81						
64	65	0.58						
65	66	0.92						
69	70	1.57						
70	71	1.04						
BCP198	751188.4	8513468.63	84.19	90	-60	4	5	0.65
						5	6	1.01
						6	7	1.2
						7	8	0.61
						10	11	0.55
						11	12	1.95
						12	13	2.2
						13	14	8.07
						14	15	4.11
						15	16	5.36
						16	17	5.84
						17	18	0.65
						72	73	1.17
						73	74	0.77
						74	75	0.61
BCP199	751182.4	8513421.52	84.33	270	-60	45	46	1.94
						46	47	7.01
						47	48	1.06
						48	49	0.59
						49	50	0.62
						42	43	7.24
BCP200	751197	8513421.02	84.7	270	-60	43	44	3.94
						44	45	0.89
						45	46	0.5
						46	47	1.37
						48	49	0.82
						54	55	0.68
						60	61	0.69
						62	63	0.69
BCP201	751188.4	8513418.68	84.48	90	-60	27	28	0.78
						28	29	0.87
						70	71	2.03
BCP202	751220.8	8513291.48	85.49	270	-60	4	5	1.32
						5	6	0.69
						7	8	1.16
						8	9	1.36
						9	10	0.61
						52	53	0.67
						53	54	0.9
						65	66	1.28
						66	67	0.83



ASX ANNOUNCEMENT

ASX: FNR

farnorthernresources.com

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
BCP203	751237.8	8513395.56	86.09	270	-60	19	20	0.53
						23	24	0.51
						31	32	0.68
						58	59	2.55
						59	60	0.5
						64	65	0.55
						70	71	0.5
						77	78	0.76
						79	80	0.6
						80	81	0.79
						81	82	0.62
						82	83	0.68
						83	84	2.14
						84	85	0.76
						85	86	1.97
						86	87	1.83
						87	88	2.1
						88	89	2.01
						89	90	1.77
						90	91	1.09
						91	92	0.64
						92	93	0.6
						93	94	1.46
95	96	0.87						
96	97	2						
97	98	1.03						
98	99	2.15						
102	103	1.24						
103	104	0.6						
104	105	1.03						
107	108	1.12						
108	109	1.04						
109	110	1.83						
111	112	1.05						
112	113	0.72						
113	114	1.39						
129	130	0.67						
BCP204	751163.6	8513396.3	83.36	270	-60	13	14	5.31
						14	15	0.91
						15	16	1.02
						16	17	0.6
						17	18	0.51
						21	22	0.66
						22	23	0.78
						23	24	0.68
						28	29	0.76
						32	33	1.78
						37	38	0.77
						38	39	1.41
						39	40	0.55
						41	42	0.56
						46	47	0.53
47	48	0.59						
BCP205	751235.6	8513570.84	83.52	270	-60	29	30	0.55
						30	31	0.98
						89	90	1.8
						90	91	0.74
						95	96	1.38
						96	97	2.95
						97	98	2.6
						98	99	3.1
						99	100	1.17
						100	101	1.05
						101	102	0.54
102	103	0.55						
103	104	0.8						

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						19	20	1.09
						45	46	0.6
						46	47	0.62
						47	48	0.7
						48	49	0.57
						49	50	0.58
						52	53	0.5
						53	54	0.52
						56	57	0.6
						57	58	0.52
BCP210	751166.2	8513471.52	83.6	270	-60	13	14	0.68
						45	46	1.76
						46	47	0.53
						48	49	0.64
						49	50	0.85
BCP211	751184.1	8513496.09	84.23	270	-60	4	5	1.03
						5	6	1.08
						6	7	0.65
						7	8	0.62
						10	11	0.7
						11	12	0.6
						12	13	0.63
						52	53	1.25
						53	54	1
						54	55	0.6
BCP212	751242.5	8513520.43	85.46	270	-60	15	16	0.53
						16	17	0.5
						17	18	0.69
						86	87	0.67
						91	92	0.82
						92	93	2.35
						93	94	8.4
						94	95	2.53
						95	96	10
						96	97	2.29
						99	100	1.22
						100	101	1.07
						101	102	1.06
						102	103	3.21
						103	104	11.2
						104	105	29.5
						105	106	1.74
						106	107	0.69
						107	108	0.8
						108	109	0.94
						109	110	1.92
110	111	0.93						
111	112	1.28						
112	113	1.9						
113	114	0.97						
114	115	0.51						
115	116	0.5						
116	117	0.63						
119	120	0.88						
BCP213	751183.2	8513320.89	82.39	270	-60	21	22	0.67
						22	23	1.14
						35	36	2.07
						51	52	2.49
						52	53	0.65
						55	56	0.58
						57	58	1.34
BCP214	751176	8513293.45	84.88	270	-60	6	7	0.78
						20	21	13.2
						21	22	0.85
						33	34	1.94
						38	39	3.2
						42	43	1.51

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
BCP215	751197.9	8513320.88	82.26	270	-60	42	43	0.69
						7	8	0.5
						14	15	0.88
						15	16	0.65
						35	36	0.9
						44	45	1.29
BCP217	751191.2	8513293.33	85.15	270	-60	52	53	0.52
						53	54	0.57
						54	55	0.52
BCP218	751181.6	8513345.72	82.33	270	-60	2	3	3.3
						17	18	0.53
						19	20	0.63
						20	21	0.53
						21	22	1.41
						23	24	0.53
						52	53	11.3
						53	54	0.71
BCP219	751212.2	8513320.84	82.53	270	-60	61	62	1.96
						62	63	1.13
						65	66	0.61
						86	87	0.6
BCP220	751228.8	8513320.26	85.56	270	-60	45	46	0.62
						46	47	0.78
						47	48	0.6
						66	67	1.09
						67	68	0.7
BCP221	751198.3	8513570.93	81.04	270	-60	93	94	0.85
						3	4	0.62
						4	5	0.69
						5	6	0.66
						6	7	2.51
						7	8	1.43
						9	10	0.95
						10	11	0.94
						11	12	0.77
						12	13	0.59
						15	16	0.58
						17	18	1.55
						46	47	1.18
47	48	1.29						
57	58	0.58						
58	59	0.57						
62	63	0.9						
72	73	1.93						
BCP222	751215.1	8513571	81.61	270	-60	52	53	0.73
						53	54	0.87
						54	55	0.98
						55	56	0.61
						56	57	0.89
						58	59	0.56
						59	60	2.18
						77	78	1.04
						78	79	0.53
						81	82	0.59
BCP223	751197.8	8513621.27	82.31	270	-60	31	32	1.1
						35	36	0.59
						40	41	0.59
						59	60	2.6
BCP224	751184.3	8513621.34	81.26	270	-60	11	12	0.77
						15	16	0.62
						37	38	0.5
						38	39	0.94
BCP225	751198.3	8513596.01	80.7	270	-60	14	15	0.5
						47	48	0.52
						66	67	0.83
BCP226	751213.6	8513596.04	81.95	270	-60	45	46	0.58

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)						
						46	47	7.52						
						47	48	2.3						
						51	52	0.56						
						52	53	0.5						
						53	54	1.37						
						54	55	0.77						
						56	57	0.54						
						59	60	2.01						
						60	61	0.83						
						67	68	0.57						
						74	75	1.85						
BCP227	751229.5	8513620.79	84.22	270	-60	80	81	1.2						
						82	83	0.75						
						93	94	0.64						
						101	102	0.66						
						104	105	3.51						
						106	107	0.65						
						107	108	0.5						
						113	114	0.57						
						114	115	2.6						
						115	116	1.09						
						118	119	0.66						
BCP228	751213.5	8513621.12	83.66	270	-60	56	57	0.57						
						77	78	0.9						
						78	79	0.61						
						80	81	0.66						
						80	81	0.66						
BCP229	751216.3	8513645.79	84.5	270	-60	56	57	0.5						
						59	60	0.95						
						60	61	1.1						
						61	62	1.1						
						62	63	1.05						
						85	86	0.65						
						86	87	1.4						
						87	88	1.55						
						88	89	2.01						
						89	90	3.12						
						BCP230	751258	8513545.56	85.29	270	-60	16	17	2.5
												24	25	0.75
31	32	0.58												
35	36	0.88												
38	39	0.57												
39	40	2.15												
40	41	0.64												
45	46	0.52												
46	47	0.82												
BCP231	751196.9	8513345.66	82.21	270	-60							31	32	0.53
												32	33	7.01
						33	34	0.7						
						35	36	0.57						
						50	51	1.42						
						50	51	1.42						
BCP232	751211.1	8513342.68	82.31	270	-60	47	48	4.49						
						49	50	0.77						
						54	55	1.41						
						55	56	1.1						
						56	57	1.24						
						57	58	0.86						
						58	59	0.85						
						61	62	2.11						
						61	62	2.11						
BCP233	751184.1	8513646.53	83.51	270	-60	13	14	4.03						
						14	15	1.27						
						36	37	0.86						
						38	39	3.39						
						39	40	3.44						
						40	41	0.96						
						41	42	0.82						
						42	43	0.54						

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						54	55	0.69
BCP234	751199.5	8513646.44	83.7	270	-60	2	3	1.6
						3	4	0.75
						27	28	1.6
						63	64	1.1
						64	65	0.55
						69	70	1.03
						70	71	2.08
						73	74	0.67
						76	77	0.71
BCP235	751177.1	8513371.06	83.27	270	-60	22	23	0.77
						57	58	1.38
BCP236	751236.3	8513294.33	85.97	270	-60	10	11	1.07
BCP237	751151.8	8513422.25	83.33	270	-60	0	1	0.56
						6	7	0.5
						13	14	0.75
						16	17	0.81
						25	26	6.8
						27	28	0.55
BCP238	751205.9	8513293.79	85.08	270	-60	3	4	1.28
						26	27	0.63
BCP239	751240.5	8513420.4	86.13	270	-60	15	16	0.59
						17	18	0.65
						19	20	0.64
						20	21	0.54
						21	22	0.5
						34	35	0.51
						87	88	0.6
BCP240	751191.9	8513371.19	83.4	270	-60	3	4	0.67
						4	5	1.55
						9	10	1.43
						20	21	1.51
						40	41	0.54
						70	71	0.62
						73	74	1.53
						74	75	1.3
BCP241	751206.4	8513370.94	83.56	270	-60	29	30	0.58
						38	39	0.57
						73	74	0.93
BCP242	751222.3	8513370.79	85.39	270	-60	17	18	1.91
						42	43	0.5
						59	60	0.54
						60	61	0.84
						61	62	1.13
BCP243	751151.2	8513446.69	83.34	270	-60	0	1	0.94
						1	2	0.57
						3	4	1.23
BCP244	751183.4	8513571.06	80.39	270	-60	34	35	1.68
						35	36	0.7
						36	37	0.75
						40	41	0.97
						41	42	0.54
						42	43	1
						44	45	0.54
						45	46	0.95
BCP245	751183.6	8513596.18	80.12	270	-60	33	34	1
						38	39	0.53
						39	40	7.8
						40	41	7.85
						41	42	0.7
BCP246	751183	8513546	80.96	270	-60	NSI		
BCP247	751186.8	8512944.78	86.47	90	-60	48	49	1.72
						49	50	0.6
						63	64	0.54
						88	89	0.72
						93	94	0.71



ASX ANNOUNCEMENT

ASX: FNR

farnorthernresources.com

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						103	104	0.52
						104	105	1.31
BCP248	751192.2	8513394.68	84.5	90	-90	8	9	0.71
						10	11	0.5
						11	12	0.51
						20	21	1.34
						24	25	4.04
						25	26	4.55
						26	27	6.46
						27	28	0.91
						29	30	0.6
						30	31	0.76
						31	32	0.71
						35	36	0.52
						36	37	0.74
						37	38	0.72
						38	39	0.7
						39	40	0.77
						40	41	2.47
						41	42	0.9
						42	43	0.84
						43	44	0.53
						47	48	0.57
						48	49	0.61
						49	50	1.22
						55	56	0.65
						56	57	1.71
						59	60	0.71
						65	66	2.18
						67	68	0.55
						69	70	0.95
						70	71	0.72
						71	72	0.79
						72	73	0.56
						73	74	1.15
						74	75	1.12
						75	76	7.48
						76	77	1.55
						77	78	0.72
						78	79	1.93
						79	80	0.51
						81	82	0.52
						82	83	1.43
						83	84	0.72
						84	85	0.84
						85	86	1.33
						86	87	0.96
						87	88	4.37
						88	89	2.58
						89	90	2.44
						90	91	1.18
						92	93	3.1
						93	94	7.33
						94	95	1.25
						95	96	1.02
						96	97	2.69
						97	98	0.64
						98	99	0.81
BCP249	751172.8	8513470	83.42	90	-60	14	15	0.53
						15	16	0.55
						16	17	1.24
						17	18	1.65
						18	19	0.71
						19	20	0.56
						20	21	2.23
						21	22	2.11

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						22	23	1.47
						23	24	1.94
						24	25	1.27
						25	26	2.73
						26	27	4.02
						27	28	0.83
						29	30	0.51
						30	31	1.99
BCP250	751133.1	8513467.3	80.93	90	-60	19	20	3.83
						20	21	5.43
						21	22	2.12
						22	23	3.5
						23	24	0.51
						29	30	0.73
						30	31	0.59
						38	39	2.43
						39	40	5.43
						40	41	1.99
						41	42	0.6
						44	45	0.66
						46	47	0.99
						47	48	1.33
						48	49	0.77
						49	50	0.55
						50	51	1.26
						51	52	0.9
						52	53	0.61
						53	54	1.25
						54	55	0.89
						57	58	0.94
						59	60	0.81
						77	78	0.66
						81	82	0.74
						82	83	0.77
						84	85	1.01
						85	86	1.28
						86	87	1.49
						87	88	4.08
						88	89	2.49
						89	90	2.24
						90	91	1.73
						91	92	4.69
						92	93	3.03
						93	94	1.42
						94	95	1.99
						95	96	1.77
						96	97	1.81
						97	98	3.35
						98	99	1.85
						99	100	0.61
BCP252	751137	8513919.5	88.2	90	-60	26	27	3.58
						27	28	0.51
						31	32	0.58
BCP253	751157.4	8513919.66	90.49	90	-60	NSI		
BCP254	751179.3	8513919.59	91.25	90	-60	NSI		
BCP255	751197.7	8513919.88	90.48	90	-60	20	21	1.38
						21	22	1.73
						23	24	14.3
						24	25	1.19
BCP256	751116.2	8513770.52	86.55	270	-60	NSI		
BCP257	751133.6	8513770.61	87.83	270	-60	16	17	4.69
						17	18	1.51
						27	28	2.2
						31	32	4.24
						32	33	3.58
						34	35	0.66

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						40	41	2.15
						41	42	0.83
						42	43	2.84
						43	44	2.06
						44	45	1.32
						46	47	2.5
						47	48	0.64
						49	50	1.34
						50	51	0.84
						51	52	8.73
						52	53	5.44
						53	54	18
						54	55	30.9
						55	56	1.79
						56	57	6.8
						57	58	0.85
						58	59	1.17
BCP258	751153.6	8513771.05	88.71	270	-60	10	11	0.98
						16	17	0.91
						18	19	4.67
						19	20	1.2
						30	31	2.74
						52	53	10.29
						53	54	1.83
BCP259	751174.4	8513771.04	89.72	270	-60	15	16	0.85
						38	39	0.51
						44	45	1.72
						45	46	2.17
						46	47	5.47
						47	48	3.09
						48	49	1.35
						49	50	0.74
						50	51	0.71
						51	52	0.69
						52	53	0.96
						53	54	0.56
						54	55	1.22
						55	56	0.9
61	62	0.81						
BCP260	751115	8513744.26	86.59	270	-60	48	49	0.96
						49	50	1.3
						50	51	0.6
BCP261	751104.5	8513671.03	83.94	90	-60	64	65	0.5
						65	66	2.9
						68	69	0.5
						82	83	0.6
						91	92	0.8
						95	96	0.7
						96	97	4.3
						97	98	7.7
						98	99	1.4
						99	100	0.6
						101	102	1
						110	111	0.7
BCP262	751143.7	8513670.88	84.5	90	-60	8	9	4.09
						9	10	4.2
						10	11	1.79
						13	14	0.62
						15	16	0.81
						16	17	1.3
						38	39	0.57
						39	40	1.16
						40	41	0.89
						41	42	1.45
						42	43	2.29
43	44	3.23						

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						49	50	0.77
						60	61	0.91
						62	63	0.52
BCP263	751164.2	8513669.96	83.32	90	-60	4	5	1.2
						5	6	0.7
						10	11	0.7
BCP264	751184.5	8513669.68	83.52	90	-60	NSI		
BCP265	751075.5	8513721.72	83.18	90	-60	25	26	0.6
						65	66	1.2
						70	71	3
						74	75	3.4
						75	76	1.2
						76	77	5.3
BCP266	751098.2	8513721.21	85	90	-60	26	27	1
						29	30	4.2
						33	34	10
						41	42	0.5
						48	49	0.8
						50	51	7.5
						51	52	0.6
						77	78	6
						78	79	7.9
						79	80	3.5
						80	81	0.5
						81	82	0.6
						82	83	2.5
						83	84	2.4
						84	85	1.3
						88	89	0.6
						91	92	2.6
						92	93	0.5
						94	95	0.5
						96	97	1.8
						97	98	1.4
						102	103	0.5
						104	105	1
BCP267	751154.7	8513720.17	86.79	90	-60	NSI		
BCP268	751175.0	8513719.88	86.66	90	-60	NSI		
BCP269	751095.4	8513746.15	83.68	90	-60	30	31	1.3
						31	32	4.95
						32	33	0.93
						33	34	2.65
						46	47	1.08
						56	57	3.45
						57	58	0.94
						77	78	1.45
						78	79	4.19
						79	80	1.34
						80	81	0.61
						81	82	0.69
						82	83	1.93
						83	84	3.37
						84	85	1.67
						85	86	0.84
						98	99	2.68
						114	115	0.51
BCP270	751115.3	8513745.86	85.02	90	-60	8	9	0.5
						10	11	3
						11	12	3
						23	24	4.5
						29	30	0.6
						30	31	0.6
						49	50	1.5
						50	51	1
						51	52	1.3
						52	53	0.6

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						53	54	1.1
						54	55	1.4
						55	56	0.6
						57	58	1
						58	59	0.6
						59	60	1.1
						60	61	0.6
						71	72	2.5
BCP271	751122.9	8513771	86.8	270	-60	0	1	0.54
BCP272	751195	8513769.82	89.68	270	-60	52	53	0.53
						120	121	1.1
BCP274	751106.5	8513794.97	84.43	90	-60	31	32	0.8
						32	33	15
						33	34	2
						35	36	0.96
						44	45	0.6
						45	46	1.03
						62	63	0.74
BCP275	751141.4	8513795.24	87.85	90	-60	6	7	1.27
						11	12	0.58
						14	15	1.04
						15	16	0.58
						16	17	1.25
						56	57	2.01
BCP276	751096.6	8513821.37	83.81	90	-60	81	82	0.53
BCP277	751117.4	8513820.97	84.58	90	-60	16	17	0.55
						31	32	0.77
						32	33	0.7
						38	39	0.51
						40	41	0.7
						42	43	1.71
						43	44	0.77
						60	61	1.09
BCP278	751136.2	8513820.79	87.34	90	-60	13	14	0.7
BCP279	751156.5	8513820.5	90.21	90	-60	59	60	0.54
BCP280	751176.5	8513820.51	90.83	90	-60	5	6	0.75
						19	20	0.72
BCP281	751097.61	8513846.17	83.95	90	-60			NSI
BCP282	751117.4	8513846.09	85.55	90	-60	40	41	1.26
BCP283	751167.4	8512870.08	86.96	90	-60	35	36	4.83
						53	54	0.54
BCP284	751187.9	8512869.81	87.95	90	-60			NSI
BCP285	751147.2	8513845.40	88.3	90	-60			NSI
BCP287	751127.4	8513870.60	87.4	90	-60			NSI
BCP288	751090.4	8513175.89	85.91	90	-60	23	24	0.56
						24	25	0.98
						32	33	0.64
						36	37	0.65
BCP289	751109.9	8513174.93	85.18	90	-60	0	1	0.53
						3	4	0.57
						5	6	1.04
						31	32	1.01
BCP290	751149.5	8513173.41	86.59	90	-60	2	3	0.74
						13	14	0.59
						21	22	0.87
						24	25	1.18
						25	26	0.92
BCP291	751169.9	8513172.86	87.43	90	-60	13	14	0.5
						24	25	0.55
						38	39	1.04
BCP292	751230.3	8513170.65	90.65	90	-60			NSI
BCP293	751250.7	8513169.8	91.07	90	-60	5	6	0.65
						6	7	0.57
BCP293	751250.7	8513169.8	91.07	90	-60	7	8	0.71
BCP294	751169.9	8513119.86	89.5	90	-60	17	18	1
						44	45	0.5

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						56	57	0.5
						58	59	0.5
BCP295	751229.6	8513119.39	93.46	90	-60	6	7	8.81
						20	21	8
						22	23	0.75
						27	28	0.73
						28	29	0.52
						29	30	0.68
						30	31	0.99
						31	32	0.58
						32	33	0.66
						33	34	0.56
						34	35	0.8
						35	36	0.9
						37	38	1.74
						38	39	1.1
BCP296	751249.2	8513119.32	94.7	90	-60	0	1	0.81
						1	2	2.33
						10	11	0.93
						22	23	0.82
						27	28	0.54
BCP297	751269	8513119.39	95.15	90	-60	1	2	0.66
						4	5	0.62
BCP298	751188.5	8513067.65	94.85	90	-60	9	10	0.56
						21	22	0.88
						29	30	0.72
BCP299	751208.3	8513067.91	96.95	90	-60	17	18	0.76
						18	19	0.6
						19	20	0.69
						20	21	0.9
						47	48	0.52
BCP300	751228.6	8513068.45	100.01	90	-60	1	2	1.04
						2	3	0.98
						3	4	3.68
						5	6	3.65
						6	7	1.45
						7	8	1.27
						8	9	0.6
						16	17	1.12
						22	23	0.63
						26	27	0.5
						27	28	0.5
						42	43	0.52
						46	47	1.72
						47	48	0.93
						53	54	0.74
						54	55	0.61
						55	56	0.56
BCP301	751247.3	8513068.88	101.37	90	-60	9	10	0.61
						10	11	2.1
						11	12	0.6
						18	19	0.56
						19	20	0.7
						32	33	0.69
BCP302	751147.5	8513870.41	88.07	90	-60	4	5	0.64
						41	42	0.76
BCP303	751166.7	8513870.33	91.28	90	-60	31	32	2.57
						32	33	0.68
						33	34	1.25
						34	35	1.19
						35	36	12.6
						37	38	0.57
BCP304	751229.2	8513018.7	94.48	90	-60	8	9	0.88
						19	20	0.89
						22	23	0.9
						23	24	0.88

HOLE-ID	Easting GDA 2020 Zone 52	Northing GDA 2020 Zone 52	RL (AHD)	Azimuth	Declination	From (m)	To (m)	Au (ppm)
						24	25	0.54
						43	44	0.7
						48	49	1.43
						57	58	0.52
BCP305	751249.2	8513018.75	98.26	90	-60	0	1	0.83
						8	9	0.63
						9	10	2.14
						10	11	2.79
						11	12	0.77
						12	13	0.65
						13	14	0.88
						14	15	0.51
						39	40	1.39
BCP306	751187.5	8513870.03	91.66	90	-60	1	2	0.78
						2	3	2.3
						3	4	5.84
						4	5	0.86
						5	6	0.98
						14	15	1.42
						26	27	1.08
						27	28	0.67
						36	37	0.94
						41	42	1.68
						42	43	0.69
						43	44	3.15
						44	45	0.63
						45	46	0.61
						48	49	1.86
						49	50	3.02
BCP307	751197.1	8513869.94	91.69	90	-60	0	1	0.54
						2	3	0.51
						19	20	0.9
						20	21	1.03
BCP308	751117.9	8513920.61	86.4	90	-60	25	26	3.58
						26	27	1.42
						52	53	1.14
						53	54	0.78
BCP309	751208.2	8513919.97	90.06	90	-60	2	3	0.67
						3	4	0.58
						4	5	0.64
						5	6	0.96
						7	8	1.39
						8	9	0.57
BCP310	751172.5	8513870.27	91.28	90	-60	31	32	2.57
						37	38	0.82
						38	39	0.65
						39	40	1.13
						40	41	0.65
						43	44	1.57
						44	45	1.2
						45	46	0.72
						46	47	0.64
						48	49	1.18
BCP311	751191.5	8513844.99	91.66	90	-60	1	2	0.5
BCP312	751191.2	8513769.95	89.62	90	-60	20	21	1.97
						74	75	8.3
BCP313	751211.3	8513769.46	90.16	90	-60	36	37	0.5
PSP19	751197.4	8513944.88	91	90	-60			NSI
PSP20	751172.4	8513945.12	91	90	-60			NSI
PSP21	751182.4	8513945.02	91	270	-60			NSI
PSP22	751222.4	8513944.65	91	270	-60	0	1	0.72
						10	11	0.84
						11	12	1.9
						12	13	1.19
						13	14	0.7
						14	15	1.13



ASX ANNOUNCEMENT

ASX: FNR

farnorthernresources.com